1. A compound of the general formula [I] :

$$R^{1}$$
  $(X)$   $m$   $A$   $CH$   $CH$   $N$   $R^{2}$   $R^{3}$   $[I]$ 

wherein

10

5

R<sup>1</sup> is aryl which may have one or more suitable substituent(s), heterocyclic group or cyclo(lower)alkyl,

15

20

 ${\ensuremath{\mathsf{R}}}^2$  is hydrogen or amino protective group,

 ${\ensuremath{\mathsf{R}}}^3$  and  ${\ensuremath{\mathsf{R}}}^4$  are independently hydrogen, halogen, hydroxy, amino, nitro, carboxy, protected carboxy, aryl,

lower alkyl, hydroxy(lower)alkyl,

amino(lower)alkyl, acyloxy(lower)alkyl,

acylamino(lower)alkyl, lower alkylamino(lower)alkyl

which may have one or more suitable substituent(s),

mono or di-(lower)alkylamino, acylamino, acyl

group, lower alkoxy, halo(lower)alkoxy, lower

alkenyloxy, lower alkoxy(lower)alkoxy, aryloxy,

cyclo(lower)alkyloxy, heterocyclicoxy,

ar(lower)alkyloxy, acyloxy or acyl(lower)alkoxy,

25 R<sup>5</sup> is hydrogen, lower alkyl, or aryl,

A is lower alkylene which may have one or more suitable

substituent(s) or lower alkenylene,

X is O, S, SO,  $SO_2$  or NH, and

m is an integer of 0 or 1,

or a salt threof.

30

2. A compound of claim 1, wherein

 ${\ensuremath{\mathsf{R}}}^1$  is phenyl which may have one or more suitable

substituent(s),

R<sup>2</sup> is hydrogen,

35

R<sup>3</sup> is acyl(lower)alkoxy, lower alkoxy, protected

35

carboxy, hydroxy or acyloxy, R<sup>4</sup> is hydrogen, R<sup>5</sup> is hydrogen, A is lower alkylene, 5 X is O, and m is an integer of 1. A compound of claim 2, wherein 3.  $R^1$  is phenyl which may have 1 or 2 suitable 10 substituent(s) selected from the group consisting of hydroxy and lower alkylsulfonylamino, R<sup>3</sup> is lower alkylcarbamoyl(lower)alkoxy, heterocycliccarbamoyl(lower)alkoxy, 15 heterocycliccarbonyl (lower) alkoxy, N-lower alkyl-lower alkylcarbamoyl(lower)alkoxy, hydroxy, lower alkoxy, protected carboxy, arylcarbamoyl(lower)alkoxy which may have lower 20 alkoxy or di(lower)alkylamino, di-lower alkylsulfamoyloxy, N-lower alkyl-heterocyclic(lower)alkylcarbamoyl-(lower)alkoxy, 25 N-lower alkyl-lower alkylcarbamoyl(lower)alkoxy or N-lower alkyl-cyclo(lower)alkylcarbamoyl(lower)alkoxy. A compound of claim 3, wherein 4. R<sup>1</sup> is phenyl which may have hydroxy and 30 methylsulfonylamino,  $R^3$  is ethylcarbamoylmethoxy, indolylcarbamoylmethoxy, piperidinocarbonylmethoxy,

N-methylbutylcarbamoylmethoxy,

15

20

5

hydroxy,

butylcarbamoylmethoxy,

methoxy,

methoxycarbonyl,

ethoxy,

dimethylsulfamoyloxy,

tetrazolylcarbamoylmethoxy,

 ${\tt N-methylpyridylethylcarbamoylmethoxy,}$ 

methoxyphenylcarbamoylmethoxy,

10 thiazolylcarbamoylmethoxy,

dihydroindolylcarbonylmethoxy,

N-ethylpropylcarbamoylmethoxy,

N-methylbutylcarbamoylmethoxy,

N-ethylbutylcarbamoylmethoxy,

dimethylaminophenylcarbamoylmethoxy or

L

N-methylcyclohexylcarbamoylmethoxy.

- A process for preparing a compound of claim 1, or a salt thereof, which comprises,
  - (i) reacting a compound [II] of the formula :

$$R^{1} \xrightarrow{(X)_{\overline{M}} A} CH \xrightarrow{C}_{H} R^{5}$$
 [II]

wherein  $R^1$ ,  $R^5$ , A, X and m are each as defined in claim 1, with a compound [III] of the formula:

$$R^2$$
 $R^3$ 
[III]

35

20

25

35

wherein  $R^2$ ,  $R^3$  and  $R^4$  are each as defined in claim 1, or a salt thereof, to give a compound [I] of the formula :

5
$$R^{1} \xrightarrow{(X)_{\overline{m}} A} \xrightarrow{CH-CH-N} \stackrel{R^{2}}{\underset{R}{\downarrow} 5} \qquad [I]$$

wherein  $R^1$ ,  $R^2$ ,  $R^3$ ,  $R^4$ ,  $R^5$ , A, X and m are each as defined in claim 1, or a salt thereof, or

(ii) subjecting a compound [Ia] of the formula:

$$R^{1} \xrightarrow{(X)_{\overline{m}} A} \xrightarrow{OH} \xrightarrow{R^{2}_{\overline{a}}} CH \xrightarrow{CH-CH-N} R^{3} \qquad [Ia]$$

wherein  $\mathbf{R}^1$ ,  $\mathbf{R}^3$ ,  $\mathbf{R}^4$ ,  $\mathbf{R}^5$ , A, X and m are each as defined in claim 1, and

 $R_{a}^{2}$  is amino protective group, or a salt thereof, to elimination reaction of the amino protective group, to give a compound [Ib] of the formula :

$$R^{1}$$
  $(X)$   $R$   $A$   $CH$   $CH$   $CH$   $N$   $R^{3}$  [Ib]

- wherein  $R^1$ ,  $R^3$ ,  $R^4$ ,  $R^5$ , A, X and m are each as defined in claim 1, or a salt thereof.
  - 6. A pharmaceutical composition which comprises, as an active ingredient, a compound of claim 1 or a

pharmaceutically acceptable salt thereof in admixture with pharmaceutically acceptable carriers or excipients.

- 7. Use of a compound of claim 1 or a pharmaceutically acceptable salt thereof for the manufacture of a medicament.
- 8. A compound of claim 1 or a pharmaceutically acceptable salt thereof for use as a medicament.
- 9. A method for the prophylactic and/or the therapeutic treatment of pollakiuria or urinary incontinence which comprises administering a compound of claim 1 or a pharmaceutically acceptable salt thereof to a human being or an animal.